

Curriculum Vitae

Fengwu Bai, PhD

University Distinguished Professor
Shanghai Jiao Tong University
School of Life Science and Biotechnology
800 Dongchuan Rd., Shanghai 200240, China
Tel: 00-86-3420 8028; Fax: 00-86-3420 5709
Email: fwbai@sjtu.edu.cn



Education Background

- 05/2005–04/2007: PhD in Biochemical Engineering
University of Waterloo, Canada
Department of Chemical Engineering
- 09/1985–06/1988: MS in Biochemical Engineering
Dalian University of Technology, China
School of Chemical Engineering
- 09/1981–07/1985: BS in Chemical & Mechanical Engineering
Dalian University of Technology, China
Department of Chemical Engineering

Working Experience

- 01/2013–Present Distinguished Professor
School of Life Science and Biotechnology
Shanghai Jiao Tong University, China
- 08/1999–12/2012: Professor
School of Life Science and Biotechnology
Dalian University of Technology, China
- 04/2010–12/2010: Visiting Professor
Massachusetts Institute of Technology (MIT), USA
Chemical Engineering Department
- 10/2002–07/2003: Visiting Scholar
University of Waterloo, Canada
Chemical Engineering Department
- 02/2000–08/1999: Visiting Scholar
Ohio University, USA
Chemical Engineering Department
- 07/1995–07/1999: Associate Professor
Dalian University of Technology, China
School of Life Science and Biotechnology
- 06/1988–06/1995: Assistant Professor
Dalian University of Technology, China
School of Chemical Engineering

Professional Activities

Chair: Subcommittee on Biotechnology

International Union of Pure and Applied Chemistry (IUPAC, www.iupac.org)

Executive Board Member: Asian Federation of Biotechnology (AFOB, www.afob.org)

Chair: AFOB Division of Bioprocess and Bioseparation

Editor: Biotechnology Advances (Elsevier, SCI IF 12.831)

Research Interests

- Biomass resources and biorefinery
- Metabolic engineering and systems biology for strain development
- Bioprocess engineering for robust production of biofuels and other bioenergy products

Principle Investigator

1. Grant sponsored by NSFC: Molecular mechanism underlying the self-flocculation of the *Zymomonas mobilis* mutant ZM401; Duration: 01/2020–12/2023; RMB 590, 000.
2. Grant co-sponsored by NSFC and NRCT (Thailand): Fundamentals and novel technologies for bioethanol production from agricultural and agro-industrial residues in China and Thailand; Duration: 10/2015–09/2018; RMB 3, 060, 000.
3. Grant sponsored by NSFC: Optimization of the self-flocculation of microbial cells for productivity and titer improvement and cost-effective biomass recovery with biorefinery; Duration: 01/2016–12/2020; RMB 3, 576, 000.
4. Grant sponsored by NSFC: Dynamic kinetics of continuous VHG ethanol fermentation; Duration: 01/2013–12/2016; RMB 800, 000.
5. Grant sponsored by MOST with the National High Technology Research and Development (863) Program: High cell density culture of the self-flocculating *Saccharomyces cerevisiae* for ethanol production at improved titer and productivity; Duration: 08/2007–12/2010; RMB 2, 080, 000.
6. Grant sponsored by NSFC: Online characterization of the self-flocculating *Saccharomyces cerevisiae* and kinetics for cell growth and ethanol production; Duration: 01/2006–12/2008; RMB 250, 000.
7. Grant supported by MOST with the National Key Technology Research and Development Program: Key technologies for bioenergy production: High cell density culture of the self-flocculating *Saccharomyces cerevisiae* for ethanol production at improved titer and productivity; Duration: 01/2004–12/2005; RMB 2, 000, 000.
8. Grant supported by MOST with the National High Technology Research and Development (863) Program: Cleaning production of ethanol through stillage recycling; Duration: 12/2002–12/2005; RMB 900, 000.
9. Grant sponsored by NSFC for Young Scholars: Fundamentals underlying the self-flocculation of *Saccharomyces cerevisiae*; Duration: 01/1998–12/2000; RMB 100, 000.
10. Project sponsored by industry (CNPC): Development of yeast strains for the co-fermentation of C5 and C6 sugars to produce ethanol from lignocellulosic biomass; Duration: 01/2012–2013/12; RMB 800, 000.
11. Project sponsored by industry (BBCA): Fuel ethanol production by the self-flocculating *Saccharomyces cerevisiae*; Duration: 01/2002–12/2005; RMB 3, 900, 000.

Review Articles:

1. Liu CG, Xiao Y, Xia XX, Zhao XQ, Peng L, Srinophakun P, **Bai FW**. Cellulosic ethanol production: Progress, challenges and strategies for solutions. *Biotechnology Advances* 2019, 37: 491–504.
2. Xia J, Yang YF, Liu CG, Yang SH, **Bai FW**. Engineering *Zymomonas mobilis* for robust cellulosic ethanol production. *Trends in Biotechnology* 2019, 37: 960–972.
3. Chen BL, Wan C, Mehmood MA, Chang JS, **Bai FW**, Zhao XQ. Manipulating environmental stresses and stress tolerance of microalgae for enhanced efficiency of biorefinery-A review. *Bioresource Technology* 2017, 244: 1198–1206.
4. Xue C, Zhao JB, Chen LJ, Yang ST, **Bai FW**. Recent advances and state-of-the-art strategies in strain and process for biofuels production. *Biotechnology Advances* 2017, 35: 210–222.
5. Zhao XQ, Xiong L, Zhang MM, **Bai FW**. Towards efficient bioethanol production from agricultural and forestry residues: Exploration of unique natural microorganisms in combination with advanced strain engineering. *Bioresource Technology* 2016, 215: 84–91.
6. Wan C, Alam MA, Zhao XQ, Chang JS, **Bai FW**. Current progress and future prospect of microalgal biomass harvest using various flocculation technologies. *Bioresource Technology* 2015, 184: 251–257.
7. Xue C, Zhao JB, Chen LJ, **Bai FW**, Yang ST, Sun JX. Integrated butanol recovery for an advanced biofuel: current state and prospects. *Applied Microbiology and Biotechnology* 2014, 98: 3463–3474.
8. Xue C, Zhao XQ, Chen LJ, **Bai FW**. Prospective and development of butanol as an advanced biofuel. *Biotechnology Advances* 2013, 31: 1575–1584.
9. Chen CY, Zhao XQ, Yen HW, Ho SH, Cheng CL, Lee DJ, **Bai FW**, Chang JS. Microalgae-based carbohydrates for biofuel production. *Biochemical Engineering Journal* 2013, 78: 1–10.
10. Liu CG, Xue C, **Bai FW**, Lin YH. Redox potential control and applications in micro-aerobic and anaerobic fermentations. *Biotechnology Advances* 2013, 31: 257–265.
11. Zhao XQ, **Bai FW**. Zinc and yeast stress tolerance: micronutrient plays a big role. *Journal of Biotechnology* 2012, 158: 176–183.
12. Zhao XQ, **Bai FW**. Yeast flocculation: New story in fuel ethanol production. *Biotechnology Advances* 2009, 27: 849–856.
13. Zhao XQ, **Bai FW**. Mechanisms of yeast stress tolerance and its manipulation for efficient ethanol production. *Journal of Biotechnology* 2009, 144: 23–30.
14. **Bai FW**, Anderson WA, Moo-Young M. Ethanol fermentation technologies from sugar and starch feedstocks. *Biotechnology Advances* 2008, 26: 89–105.

Research Articles

1. Li K, Zhang JW, Liu CG, Mehmood MA, **Bai FW**. Elucidating the molecular mechanism of TEMPOL-mediated improvement on tolerance under oxidative stress in *Saccharomyces cerevisiae*. *Chemical Engineering Science* 2020, 211, 115306.
2. Wang Y, Yang RM, Tang LJ, Zhu LB, Zhu D, **Bai FW**. Dimorphism of *Trichosporon cutaneum* and impact on its lipid production. *Biotechnology for Biofuels* 2019, 12: 203.

3. Xia J, Liu CG, Zhao XQ, Xiao Y, Xia XX, **Bai FW**. Contribution of cellulose synthesis, formation of fibrils and their entanglement to the self-flocculation of *Zymomonas mobilis*. *Biotechnology and Bioengineering* 2018, 115: 2714–2725.
4. Li K, Xia J, Mehmood MA, Zhao XQ, Liu CG, **Bai FW**. Extracellular redox potential regulation improves yeast tolerance to furfural. *Chemical Engineering Science* 2018, 196: 54–63.
5. Meng QS, Liu CG, Zhao XQ, **Bai FW**. Engineering *Trichoderma reesei* Rut-C30 with the overexpression of *egl1* at the *ace1* locus to relieve repression on cellulase production and to adjust the ratio of cellulolytic enzymes for more efficient hydrolysis of lignocellulosic biomass. *Journal of Biotechnology* 2018, 285: 56–63.
6. Ahmad MS, Mehmood MA, Liu CG, Tawab A, **Bai FW**, Sakdaronnarong C, Xu J, Rahimuddin SA, Gull M. Bioenergy potential of *Wolffia arrhiza* appraised through pyrolysis, kinetics, thermodynamics parameters and TG-FTIR-MS study of the evolved gases. *Bioresource Technology* 2018, 253: 297–303.
7. Cheng C, Tang RQ, Xiong L, Hector RE, **Bai FW**, Zhao XQ. Association of improved oxidative stress tolerance and alleviation of glucose repression with superior xylose-utilization capability by a natural isolate of *Saccharomyces cerevisiae*. *Biotechnology for Biofuels* 2018, 11: 28.
8. Liu CG, Li ZY, Hao Y, Xia J, **Bai FW**, Mehmood MA. Computer simulation elucidates yeast flocculation and sedimentation for efficient industrial fermentation. *Biotechnology Journal* 2018, 13(5): e1700697.
9. Xiong L, Zeng Y, Tang RQ, Apler HS, **Bai FW**, Zhao XQ. Condition-specific promoter activities in *Saccharomyces cerevisiae*. *Microbial Cell Factories* 2018, 17: 58.
10. Xu JR, He LY, Liu CG, Zhao XQ, **Bai FW**. Genome Sequence of the self-flocculating strain *Saccharomyces cerevisiae* SPSC01. *Genome Announcements* 2018, 6(20): e00367–18.
11. Zhang F, Zhao XQ, **Bai FW**. Improvement of cellulase production in *Trichoderma reesei*, Rut-C30 by overexpression of a novel regulatory gene *Trvib-1*. *Bioresource Technology* 2018, 247: 676–683.
12. Li YH, Zhang XY, Zhang F, Peng LC, Zhang DB, Kondo K, **Bai FW**, Zhao XQ. Optimization of cellulolytic enzyme components through engineering *Trichoderma reesei* and on-site fermentation using the soluble inducer for cellulosic ethanol production from corn stover. *Biotechnology for Biofuels* 2018, 11: 49.
13. Xue C, Zhang XT, Wang JF, Xiao M, Chen LJ, **Bai FW**. Advanced strategy for enhancing biobutanol production and high-efficient product recovery with reduced wastewater discharge. *Biotechnology for Biofuels* 2017, 10: 148.
14. Xue C, Liu M, Guo XW, Hudson P, Chen LJ, **Bai FW**, Liu FF, Yang ST. Bridging the chemical- and bio-catalysis: high-valued liquid transportation fuels production from renewable agricultural residues. *Green Chemistry* 2017, 19(1): 660–669.
15. Gao JQ, Yuan WJ, Li YM, **Bai FW**, Jiang Y. Characterization of inulinase promoter from *Kluyveromyces marxianus* for intensive protein expression in industrial biotechnology. *FEMS Yeast Research* 2017, 17: 6.
16. Zhang XY, Li YH, Zhao XQ, **Bai FW**. Constitutive cellulase production from glucose using the recombinant *Trichoderma reesei* strain over-expressing an artificial transcription activator. *Bioresource Technology* 2017, 223: 317–322.
17. Gao JQ, Feng HL, Yuan WJ, Li YM, Zhong SJ, **Bai FW**. Enhanced fermentative

- performance under stresses of multiple lignocellulose-derived inhibitors by overexpression of a typical 2-Cys peroxiredoxin from *Kluyveromyces marxianus*. *Biotechnology for Biofuels* 2017, 10: 79.
18. **Bai FW**, Alper Hal. Harnessing microbial cells through advanced technologies and conventional strategies. *Biotechnology Journal* 2017, 12(10).
 19. Chen LJ, Wu YD, Xue C, **Bai FW**. Improving fructose utilization and butanol production by *Clostridium acetobutylicum* via extracellular redox potential regulation and intracellular metabolite analysis. *Biotechnology Journal* 2017, 12(10): 1700268.
 20. Li YH, Zhang XY, Xiong L, Mehmood MA, Zhao XQ, **Bai FW**. On-site cellulase production and efficient saccharification of corn stover by cbh2 overexpressing *Trichoderma reesei* with novel induction system. *Bioresource Technology* 2017, 238: 643–649.
 21. Li YM, Yuan WJ, Gao JQ, Fan C, Wu WZ, **Bai FW**. Production of L-alanyl-L-glutamine by recycling *E. coli* expressing alpha-amino acid ester acyltransferase. *Bioresource Technology* 2017, 245: 1603–1609.
 22. Gao JQ, Yuan WJ, Li YM, **Bai FW**, Jiang Y. Synergistic effect of thioredoxin and its reductase from *Kluyveromyces marxianus* on enhanced tolerance to multiple lignocellulose-derived inhibitors. *Microbial Cell Factories* 2017, 16: 181.
 23. Zhang MM, Zhang KY, Mehmood MA, Zhao ZK, **Bai FW**, Zhao XQ. Deletion of acetate transporter gene *ADY2* improved tolerance of *Saccharomyces cerevisiae* against multiple stresses and enhanced ethanol production in the presence of acetic acid. *Bioresource Technology* 2017, 245: 1461–1468.
 24. Khatun MM, Yu XS, Kondo A, **Bai FW**, Zhao XQ. Improved ethanol production at high temperature by consolidated bioprocessing using *Saccharomyces cerevisiae* strain engineered with artificial zinc finger protein. *Bioresource Technology* 2017, 245: 1447–1454.
 25. Khatun MM, Liu CG, Zhao XQ, Yuan WJ, **Bai FW**. Consolidated ethanol production from Jerusalem artichoke tubers at elevated temperature by *Saccharomyces cerevisiae* engineered with inulinase expression through cell surface display. *Journal of Industrial Microbiology and Biotechnology* 2017, 44: 295–301.
 26. Zhang XY, Zi LH, Ge XM, Li YH, Liu CG, **Bai FW**. Development of *Trichoderma reesei* mutants by combined mutagenesis and induction of cellulase by low-cost corn starch hydrolysate. *Process Biochem* 2017, 54: 96–101.
 27. Xue C, Liu F, Xu MM, Zhao JB, Chen LJ, Ren JG, **Bai FW**, Yang ST. A novel in situ gas stripping-pervaporation process integrated with acetone-butanol-ethanol fermentation for hyper n-butanol production. *Biotechnology and Bioengineering* 2016, 113: 120–129.
 28. Gao JQ, Yuan WJ, Li YM, **Bai FW**, Zhong SJ, Jiang Y. Application of redox potential control to improve ethanol productivity from inulin by consolidated bioprocessing. *Process Biochemistry* 2016, 51: 1544–1551.
 29. Xue C, Liu F, Xu M, Tang I, Zhao JB, **Bai FW**, Yang ST. Butanol production in acetone-butanol-ethanol fermentation with *in situ* product recovery by adsorption. *Bioresource Technology* 2016, 219: 158–168.
 30. Du GQ, Xue C, Zhao QQ, Xu J, Liu T, Chen LJ, Mu Y, **Bai FW**. Design of online off-gas analysis system for anaerobic ABE fermentation and the strategy for improving butanol production. *Process Biochemistry* 2016, 51: 555–560.

31. Zhang XY, Zhao XQ, Wan C, Chen BL, **Bai FW**. Efficient biosorption of cadmium by the self-flocculating microalga *Scenedesmus obliquus* AS-6-1. *Algal Research-Biomass Biofuels and Bioproducts* 2016, 16: 427–433.
32. Zhang F, **Bai FW**, Zhao XQ. Enhanced cellulase production from *Trichoderma reesei* Rut-C30 by engineering with an artificial zinc finger protein library. *Biotechnology Journal* 2016, 11(10): 1282–1290.
33. Wu YD, Xue C, Chen LJ, **Bai FW**. Impact of zinc supplementation on the improved fructose/xylose utilization and butanol production during acetone-butanol-ethanol fermentation. *Journal of Bioscience and Bioengineering* 2016, 121: 66–72.
34. Wu YD, Xue C, Chen LJ, Yuan WJ, **Bai FW**. Improvements of metabolites tolerance in *Clostridium acetobutylicum* by micronutrient zinc supplementation. *Biotechnology and Bioprocess Engineering* 2016, 21: 60–67.
35. Xue C, Wang ZX, Fan LH, Ren JG, **Bai FW**. Integration of ethanol removal using carbon nanotube-mixed membrane and ethanol fermentation by self-flocculating yeast for antifouling ethanol recovery. *Process Biochemistry* 2016, 51: 1140–1146.
36. Wu YD, Xue C, Chen LJ, Yuan WJ, **Bai FW**. Synergistic effect of calcium and zinc on glucose/xylose utilization and butanol tolerance of *Clostridium acetobutylicum*. *FEMS Microbiology Letters* 2016, 363(5): 1–7.
37. Xue C, Wang ZX, Wang SD, Zhang XT, Chen LJ, Mu Y, **Bai FW**. The vital role of citrate buffer in acetone-butanol-ethanol (ABE) fermentation using corn stover and high-efficient product recovery by the vapor stripping-vapor permeation (VSVP) process. *Biotechnology for Biofuels* 2016, 9: 146.
38. Li K, Qin JC, Liu CG, **Bai FW**. Optimization of pretreatment, enzymatic hydrolysis and fermentation for more efficient ethanol production by Jerusalem artichoke stalk. *Bioresource Technology* 2016, 221: 188–194.
39. Li YH, Liu CG, **Bai FW**, Zhao XQ. Overproduction of cellulase by *Trichoderma reesei* RUT C30 through batch-feeding of synthesized low-cost sugar mixture. *Bioresource Technology* 2016, 216: 503–510.
40. Liu CG, Hao XM, Lin YH, **Bai FW**. Redox potential driven aeration during very-high-gravity ethanol fermentation by using flocculating yeast. *Scientific Report* 2016, 6: 25763.
41. Liu CG, Qin JC, Liu LY, Jin BW, **Bai FW**. Combination of ionic liquid and instant catapult steam explosion pretreatments for enhanced enzymatic digestibility of rice straw. *ACS Sustainable Chemistry and Engineering* 2016, 4: 577–582.
42. Cheng C, Zhao XQ, Zhang MM, Bai FW. Absence of Rtt109p, a fungal-specific histone acetyltransferase, results in improved acetic acid tolerance of *Saccharomyces cerevisiae*. *FEMS Yeast Research* 2016, 16(2): 1–9.
43. Zhang MM, Zhao XQ, Cheng C, **Bai FW**. Improved growth and ethanol fermentation of *Saccharomyces cerevisiae* in the presence of acetic acid by overexpression of SET5 and PPR1. *Biotechnology Journal* 2015, 10: 1903–1911.
44. Xue C, Yang DC, Du GQ, Chen LJ, Ren JG, **Bai FW**. Evaluation of hydrophobic micro-zeolite-mixed matrix membrane and integrated with acetone-butanol-ethanol fermentation for enhanced butanol production. *Biotechnology for Biofuels* 2015, 8: 105.
45. Yang XB, Jin GJ, Gong ZW, Shen HW, **Bai FW**, Zhao ZK. Recycling microbial lipid production wastes to cultivate oleaginous yeasts. *Bioresource Technology* 2015, 175: 91–96.

46. Wan C, Zhang MM, Fang Qing, Xiong Ling, Zhao XQ, Hasunuma T, **Bai FW**, Kondo A. The impact of zinc sulfate addition on the dynamic metabolic profiling of *Saccharomyces cerevisiae* subjected to long term acetic acid stress treatment and identification of key metabolites involved in the antioxidant effect of zinc. *Metallomics* 2015, 7: 322–332.
47. Wu YD, Xue C, Chen LJ, Wan HH, **Bai FW**. Transcriptional analysis of micronutrient zinc-associated response for enhanced carbohydrate utilization and earlier solventogenesis in *Clostridium acetobutylicum*. *Scientific Reports* 2015, 5: 16598.
48. Gao JQ, Yuan WJ, Li YM, Xiang RJ, Hou SB, Zhong SJ, **Bai FW**. Transcriptional analysis of *Kluyveromyces marxianus* for ethanol production from inulin using consolidated bioprocessing technology. *Biotechnology for Biofuels* 2015, 8: 115.
49. Ma C, Wei XW, Sun CH, Zhang F, Xu JR, Zhao XQ, **Bai FW**. Improvement of acetic acid tolerance of *Saccharomyces cerevisiae* using a zinc-finger-based artificial transcription factor and identification of novel genes involved in acetic acid tolerance. *Applied Microbiology and Biotechnology* 2015, 99: 2441–2449.
50. Yang XB, Jin GJ, Gong ZW, Shen HW, **Bai FW**, Zhao ZK. Recycling microbial lipid production-derived resources to cultivate oleaginous yeasts. *Bioresource Technology* 2015, 175, 91–96.
51. Khatun MM, Li YH, Liu CG, Zhao XQ, **Bai FW**. Fed-batch saccharification and ethanol fermentation of Jerusalem artichoke stalks by an inulinase producing *Saccharomyces cerevisiae* MK01. *RSC Advances* 2015, 5, 107112–107118.
52. Alam MA, Wan C, Zhao XQ, Chen LJ, Chang JS, **Bai FW**. Enhanced removal of Zn²⁺ or Cd²⁺ by the self-flocculating *Chlorella vulgaris* JSC-7. *Journal of Hazardous Materials* 2015, 289: 38–45.
53. Liu CG, Liu LY, Lin YH, **Bai FW**. Kinetic modeling for redox potential-controlled repeated batch ethanol fermentation using flocculating yeast. *Process Biochemistry* 2015, 50: 1–7.
54. Yang XB, Jin GJ, Gong ZW, Shen HW, Song YH, **Bai FW**, Zhao ZK. Simultaneous utilization of glucose and mannose from spent yeast cell mass for lipid production by *Lipomyces starkeyi*. *Bioresource Technology* 2014, 158, 383–387.
55. Chen HX, Xiu ZL, **Bai FW**. Improved ethanol production from xylose by *Candida shehatae* induced by dielectric barrier discharge air plasma. *Plasma Science and Technology* 2014.6, 16(6): 602–607.
56. Yang XB, Jin GJ, Gong ZW, Shen HW, **Bai FW**, Zhao ZK. Recycling biodiesel-derived glycerol by the oleaginous yeast *Rhodospiridium toruloides* Y4 through the two-stage lipid production process. *Biochemical Engineering Journal* 2014, 91, 86–91.
57. Xue C, Du GQ, Sun JX, Chen LJ, Gao SS, Yang ST, **Bai FW**. Characterization of gas stripping and its integration with acetone-butanol-ethanol fermentation for high efficient butanol production and recovery. *Biochemical Engineering Journal* 2014, 83: 55–61.
58. Xue C, Du GQ, Chen LJ, Ren JG, Sun JX, **Bai FW**, Yang ST. A carbon nanotube filled polydimethylsiloxane hybrid membrane for enhanced butanol recovery. *Scientific Reports* 2014, 4: 5925.
59. Xue C, Du GQ, Chen LJ, Ren JG, **Bai FW**. Evaluation of asymmetric

- polydimethylsiloxane-polyvinylidene fluoride composite membrane and incorporated with acetone-butanol-ethanol fermentation for butanol recovery. *Journal of Biotechnology* 2014, 188: 158–165.
60. Alam MA, Wan C, Guo SL, Zhao XQ, Huang ZY, Yang YL, Chang JS, **Bai FW**. Characterization of the flocculating agent from the spontaneously flocculating *Chlorella vulgaris* ESP-6. *Journal of Bioscience and Bioengineering* 2014, 118: 29–33.
 61. Liu CG, Liu LY, **Bai FW**. Assessment and regression analysis on instant catapult steam explosion pretreatment on corn stover. *Bioresource Technology* 2014, 166: 368–372.
 62. Zhao N, Y Bai, CG Liu, JF Xu, Zhao XQ, **Bai FW**. The flocculating *Zymomonas mobilis* is a promising host for fuel ethanol production from lignocellulosic biomass. *Biotechnology Journal* 2014, 9: 362–371.
 63. Liu CG, Lin YH, **Bai FW**. Global gene expression analysis of *Saccharomyces cerevisiae* grown under redox potential-controlled very-high-gravity conditions. *Biotechnology Journal* 2013, 8: 1132–1140.
 64. Zuo Q, Zhao XQ, **Bai FW**. Fine-tuning of xylose metabolism in genetically engineered *Saccharomyces cerevisiae* by scattered integration of xylose assimilation genes. *Biochemical and Biophysical Research Communications* 2013, 440: 241–244.
 65. Shen HW, Gong ZW, Yang XB, Jin GJ, **Bai FW**, Zhao ZK. Kinetics of continuous cultivation of the oleaginous yeast *Rhodospiridium toruloides*. *Journal of Biotechnology* 2013, 168: 85–89.
 66. Wang L, Xue C, **Bai FW**. Impact of ethanol inhibition and osmotic stress on sustained oscillation of continuous very-high-gravity ethanol fermentation by *Saccharomyces cerevisiae*. *Biotechnology for Biofuels* 2013, 6: 133.
 67. Yuan WJ, Zhao XQ, Chen LJ, **Bai FW**. Overexpression of inulinase gene in *Kluyveromyces marxianus* to improve ethanol production from Jerusalem artichoke tubers using a consolidated bioprocessing strategy. *Biotechnology and Bioprocess Engineering* 2013, 18: 721–727.
 68. Guo SL, Zhao XQ, **Bai FW**. Characterization of flocculating agent from the self-flocculating microalga *Scenedesmus obliquus* AS-6-1 for efficient biomass harvest. *Bioresource Technology* 2013, 145: 285–289.
 69. Yuan WJ, Zhao XQ, Chen LJ, **Bai FW**. Ethanol fermentation from Jerusalem artichoke tubers by recombinant *Saccharomyces cerevisiae* expressing inulinase gene of *Kluyveromyces marxianus*. *Engineering in Life Sciences* 2013, 13: 472–478.
 70. Zi LH, Liu CG, Xin CB, **Bai FW**. Stillage backset and its impact on ethanol fermentation by the flocculating yeast. *Process Biochemistry* 2013, 48: 753–758.
 71. Liu Z, Zhao XQ, **Bai FW**. Identification of an alkaline tolerant marine-derived *Streptomyces* strain as a xylanase producer and improvement of its xylanase production by ribosome engineering. *Applied Microbiology and Biotechnology* 2013, 97: 4361–4368.
 72. Wan C, Zhao XQ, Guo SL, Alam MA, **Bai FW**. Bioflocculant production from *Solibacillus silvestris* W01 and its application in cost-effective harvest of marine microalga *Nannochloropsis oceanica* by flocculation. *Bioresource Technology* 2013,

135: 207–212.

73. Xue C, Zhao JB, Liu FF, Lu CC, Yang ST, **Bai FW**. Two-stage in situ gas stripping for enhanced butanol fermentation and energy-saving product recovery. *Bioresource Technology* 2013, 135: 396–402.
74. Wu YD, Xue C, Chen LJ, **Bai FW**. Effects of zinc supplementation on batch acetone-butanol-ethanol fermentation. *Journal of Biotechnology* 2013, 165: 18–21.
75. Guo SL, Zhao XQ, Tang Y, Alam MA, Wan, Ho SH, **Bai FW**, Chang JS. Establishment of an efficient genetic transformation system in *Scenedesmus obliquus*. *Journal of Biotechnology* 2013, 163: 61–68.
76. Zhao XQ, Li Q, He LY, Li F, Que WW, **Bai FW**. Exploration of a natural reservoir of flocculating genes from various *Saccharomyces cerevisiae* strains and improved ethanol fermentation using stable genetically engineered flocculating yeast strains. *Process Biochemistry* 2012, 47: 1612–1619.
77. Zhao N, Bai Y, Zhao XQ, **Bai FW**. Draft genome sequence of the flocculating *Zymomonas mobilis* strain ZM401. *Journal of Bacteriology* 2012, 194: 7008–7009.
78. Shen Y, Guo JS, Chen YP, Zhang HD, Zheng XX, Zhang XM, **Bai FW**. Application of low-cost algal nitrogen source feeding in fuel ethanol production using high gravity sweet potato medium. *Journal of Biotechnology* 2012, 160: 229–235.
79. Xue C, Zhao JB, Lu CC, Yang ST, **Bai FW**, Tang IC. High-titer n-butanol production by *Clostridium acetobutylicum* JB200 in fed-batch fermentation with intermittent gas stripping. *Biotechnology and Bioengineering* 2012, 109: 2746–2756.
80. He LY, Zhao XQ, **Bai FW**. Engineering industrial *Saccharomyces cerevisiae* strain with the *FLO1*-derivative gene isolated from the flocculating yeast SPSC01 for constitutive flocculation and fuel ethanol production. *Applied Energy* 2012, 100: 33–40.
81. Liu CG, Wang N, Lin YH, **Bai FW**. Very-high-gravity ethanol fermentation by flocculating yeast under redox potential-controlled conditions. *Biotechnology for Biofuels* 2012, 5: 61.
82. He LY, Zhao XQ, Ge XM, **Bai FW**. Identification and functional study of a new *FLO10*-derivative gene from the industrial flocculating yeast SPSC01. *Journal of Industrial Microbiology and Biotechnology* 2012, 39: 1135–1140.
83. Xie HB, Shen HW, Gong ZW, Wang Q, Zhao ZK, **Bai FW**. Enzymatic hydrolysates of corn stover pretreated by a N-methylpyrrolidone-ionic liquid solution for microbial lipid production. *Green Chemistry* 2012, 14: 1202–1210.
84. Li Q, Zhao XQ, Chang AK, Zhang QM, **Bai FW**. Ethanol-induced yeast flocculation directed by the promoter of *TPS1* encoding trehalose-6-phosphate synthase 1 for efficient ethanol production. *Metabolic Engineering* 2012, 14: 1–8.
85. Yuan WJ, Chang BL, Ren JG, Liu JP, **Bai FW**, Li YY. Consolidated bioprocessing strategy for ethanol production from Jerusalem artichoke tubers by *Kluyveromyces marxianus* under high gravity conditions. *Journal of Applied Microbiology* 2012, 112: 38–44.
86. Liu CG, Lin YH, **Bai FW**. Ageing vessel design and optimization for continuous very-high-gravity ethanol fermentation processes. *Process Biochemistry* 2012, 47: 57–61.

87. Liu CG, Lin YH, **Bai FW**. A kinetic growth model for *Saccharomyces cerevisiae* grown under redox potential-controlled very-high-gravity environment. *Biochemical Engineering Journal* 2011, 56: 63–68.
88. Liu CG, Lin YH, **Bai FW**. Development of continuous redox potential-controlled fermentation process for ethanol production. *Journal of Biotechnology* 2011, 153: 42–47.
89. Liu CG, Lin YH, Bai FW. Ageing vessel configuration for continuous redox potential-controlled very-high-gravity fermentation. *Journal of Bioscience and Bioengineering* 2011, 111: 61–66.
90. Yu L, Wang H, Wang L, **Bai FW**. Rheological property of self-flocculating yeast suspension. *Biochemical Engineering Journal* 2010, 52: 50–54.
91. Chen HX, Xiu ZL, **Bai FW**. Oxidative stress induced in *Saccharomyces cerevisiae* exposed to dielectric barrier discharge plasma in air at atmospheric pressure. *IEEE Transactions on Plasma Science* 2010, 38: 1885–1891.
92. Shen Yu, Ge XM, **Bai FW**. Application of oscillation for efficiency improvement of continuous ethanol fermentation with *Saccharomyces cerevisiae* under very-high-gravity conditions. *Applied Microbiology and Biotechnology* 2010, 86: 103–108.
93. Xue C, Zhao XQ, **Bai FW**. Effect of the size of yeast flocs and zinc supplementation on continuous ethanol fermentation performance and metabolic flux distribution under very high concentration conditions. *Biotechnology and Bioengineering* 2010, 105: 935–944.
94. Zhao XQ, Li WJ, Jiao WC, Li Y, Yuan WJ, Zhang YQ, Klenk HP, Suh JW, **Bai FW**. *Streptomyces xinghaiensis* sp. nov., a new actinomycete derived from marine sediment sample in Xinghai Bay, Dalian, China. *International Journal of Systematic and Evolutionary Microbiology* 2009, 59: 2870–2874.
95. Li F, Zhao XQ, Ge XM, **Bai FW**. An innovative consecutive batch fermentation process for very high gravity ethanol fermentation with self-flocculating yeast. *Applied Microbiology and Biotechnology* 2009, 84: 1079–1086.
96. Shen Y, Zhao XQ, Ge XM, **Bai FW**. Metabolic flux and cell cycle analysis indicating new mechanism underlying process oscillation in continuous ethanol fermentation with *Saccharomyces cerevisiae* under VHG conditions. *Biotechnology Advances* 2009, 27: 1118–1123.
97. Zhao XQ, Xue C, Ge XM, Yuan WJ, Wang JY, **Bai FW**. Impact of zinc supplementation on the improvement of ethanol tolerance and yield of self-flocculating yeast in continuous ethanol fermentation. *Journal of Biotechnology* 2009, 139: 55–60.
98. **Bai FW**, Ge XM, Anderson WA, Moo-Young M. Parameter oscillation attenuation and mechanism exploration for continuous VHG ethanol fermentation. *Biotechnology and Bioengineering* 2009, 102: 112–121.
99. Xue C, Zhao XQ, Yuan WJ, **Bai FW**. Improving ethanol tolerance of a self-flocculating yeast by optimization of medium composition. *World Journal of Microbiology and Biotechnology* 2008, 24: 2257–2261.
100. Yuan WJ, Zhao XQ, Ge XM, **Bai FW**. Ethanol fermentation with *Kluyveromyces marxianus* from Jerusalem artichoke grown in salina and irrigated with a mixture of

- seawater and freshwater. *Journal of Applied Microbiology* 2008, 105: 2076–83.
101. Lei JJ, Zhao XQ, Ge XM, **Bai FW**. Ethanol tolerance and the variation of plasma membrane composition of yeast floc populations with different size distribution. *Journal of Biotechnology* 2007, 131: 270–275.
 102. Li YH, Zhao ZB, **Bai FW**. High-density cultivation of oleaginous yeast *Rhodospiridium toruloides* Y4 in fed-batch culture. *Enzyme and Microbial Technology* 2007, 41: 312–317.
 103. Ge XM, **Bai FW**. Intrinsic kinetics of continuous ethanol fermentation using a self-flocculating fusant yeast strain SPSC01. *Journal of Biotechnology* 2006, 124: 363–372.
 104. Ge XM, Zhang L, **Bai FW**. Impacts of temperature, pH, divalent cations, sugars and ethanol on the flocculating of SPSC01. *Enzyme and Microbial Technology* 2006, 39: 783–787.
 105. Ge XM, Zhang L, **Bai FW**. Impact of the floc size distributions on observed substrate uptake and product formation rates. *Enzyme Microbial Technology* 2006, 39: 289–295.
 106. Chen LJ, Xu YL, **Bai FW**, Anderson WA, Moo-Young M. Observed quasi-steady kinetics of yeast cell growth and ethanol formation under very high gravity fermentation condition. *Biotechnology and Bioprocess Engineering* 2005, 10: 115–121.
 107. Yu F, Zhang DY, **Bai FW**, An LJ. The accumulation of isocamptothecin A and B in suspension cell culture of *Camptotheca acuminata*. *Plant Cell, Tissue and Organ Culture* 2005, 81:159–163.
 108. Xu TJ, Zhao XQ, **Bai FW**. Continuous ethanol fermentation using a fusant self-flocculating yeast strain and multi-stage tanks in series bioreactor system. *Enzyme and Microbial Technology* 2005, 37: 634–640.
 109. Ge XM, Zhao XQ, **Bai FW**. Online monitoring and characterization of flocculating yeast cells during continuous ethanol fermentation. *Biotechnology and Bioengineering* 2005, 90: 523–531.
 110. Benchapattarapong N, Anderson WA, **Bai FW**, Moo-Young M. Rheology and hydrodynamic properties of *Tolypocladium inflatum* fermentation broth and its simulation, *Bioprocess and Biosystem Engineering* 2005, 27: 239–247.
 111. **Bai FW**, Chen LJ, Anderson WA, Moo-Young M. Parameter oscillations in a very high gravity medium continuous ethanol fermentation and their attenuation on a multistage packed column bioreactor system. *Biotechnology and Bioengineering* 2004, 88: 558–566.
 112. Wang Y, Shi WL, Liu XY, Shen Y, Bao XM, **Bai FW**, Qu YB. Establishment of a xylose metabolic pathway in an industrial strain of *Saccharomyces cerevisiae*. *Biotechnology Letters* 2004, 26: 885–890.
 113. **Bai FW**, Chen LJ, Zhang Z, Anderson WA, Moo-Young M. Continuous ethanol production and evaluation of yeast cell lysis and viability loss under very high gravity medium conditions. *Journal of Biotechnology* 2004, 110: 287–293.
 114. Hu CK, **Bai FW**, An LJ. Enhancing ethanol tolerance of a self-flocculating fusant of *Schizosaccharomyces pombe* and *Saccharomyces cerevisiae* by Mg²⁺ via reduction in plasma membrane permeability. *Biotechnology Letters* 2003, 25: 1191–1194
 115. **Bai FW**, Wang LP, Huang HJ, Xu JF, Caesar J, Ridgway D, Gu TY, Moo-Young M. Oxygen mass-transfer performance of low viscosity gas-liquid-solid system in a split-cylinder airlift bioreactor. *Biotechnology Letters* 2001, 23: 1109–1113.

Book Volumes

1. Moreira A, **Bai FW** (Section Editor). 2019. Industrial Biotechnology and Commodity Products. *Comprehensive Biotechnology III*, 3rd Edition. Elsevier.
2. **Bai FW**, Huang H, Tsao G. 2012. Biotechnology in China III: Biofuels and Bioenergy. *Advances in Biochemical Engineering/Biotechnology*. Vol. 128. Springer.
3. Moreira A, **Bai FW** (Section Editor), Cordoba-Rodriguez R, Lee K. 2011. Industrial Biotechnology and Commodity Products. *Comprehensive Biotechnology III*. Elsevier.
4. Zhong JJ, **Bai FW**, Zhang W. 2009. Biotechnology in China II: From Bioreaction to Bioseparation and Bioremediation. *Advances in Biochemical Engineering /Biotechnology*. Vol. 113. Springer.

Book Chapters

1. **Bai FW**, Yang SH, Ho NYW. 2019. Fuel ethanol production from lignocellulosic biomass. In: *Comprehensive Biotechnology*, 3rd Edition, Volume III: Industrial Biotechnology and Commodity Products, 49–65. Elsevier.
2. Zhao XQ, Zhang XY, Zhang F, Zhang R, Jiang BJ, **Bai FW**. 2018. Metabolic engineering of fungal strains for efficient production of cellulolytic enzymes. Fang X et al (ed.) *Fungal Cellulolytic Enzymes*, 27–41. Springer.
3. Mehmood AM, Shahid A, Xiong L, Ahmad N, Liu CG, **Bai FW**, Zhao XQ. 2017. Development of synthetic microbial platforms to convert lignocellulosic biomass to biofuels. Li YB et al (ed.) *Advances in Bioenergy Vol 2*: 233–278. Elsevier.
4. Zhao XQ, Zi LH, **Bai FW**, Lin HL, Hao XM, Yue GJ, Ho NWY. 2012. Bioethanol from lignocellulosic biomass. Bai FW et al (ed.) *Biotechnology in China III: Biofuels and Bioenergy. Advances in Biochemical Engineering/Biotechnology Vol 128*: 25–52. Springer.
5. Wang BW, Shi AQ, Tu R, Zhang XL, Wang QH, **Bai FW**. 2012. Branched-chain Higher Alcohols. Bai FW et al (ed.) *Biotechnology in China III: Biofuels and Bioenergy. Advances in Biochemical Engineering/Biotechnology Vol 128*: 101–118. Springer.
6. **Bai FW**, Zhao XQ. 2012. High gravity ethanol fermentations and yeast tolerance. Liu ZL (ed.) *Microbial stress tolerance for biofuels. Microbiology Monographs 22*:117–135. Springer.
7. **Bai FW**, Zhao XQ, JF Xu. 2011. Immobilization technology: Cells. Moo-Young M (ed.) *Comprehensive Biotechnology*. 2nd edn, Vol 2:477–489. Elsevier.